

# **QUARTZ SPRAY**

FOR DAILY MAINTENANCE OF YOUR QUARTZ COMPOSITE WORKTOP









QUARTZ COMPOSITE IS WELL-KNOWN FOR ITS EASE OF MAINTENANCE

First of all, we would like to stress the importance of thorough cleaning after use. A superficial clean using water, a sponge or a cloth might produce a seemingly perfect result, but it is not sufficient to fully protect the surface and the underlying pores. Be careful when using certain detergents or all-purpose cleaners, they may leave a film or patina on the surface. We also strongly advise against using cleaning products with a high pH value. In addition, it is very important to rinse thoroughly with clean water after cleaning.

FIRST AND FOREMOST, WE WANT TO THANK YOU FOR PLACING YOUR TRUST IN DIRESCO. OUR PRODUCTS ARE INTENDED TO LAST A VERY LONG TIME AND WE WANT YOU TO ENJOY THEM FOR AS LONG AS POSSIBLE. HERE ARE OUR MAINTENANCE TIPS TO KEEP YOUR QUARTZ COMPOSITE WORKTOP IN PRISTINE CONDITION.

If you don't want the hassle of doing this, we recommend our Quartz Spray for everyday maintenance: perfect for removing fingerprints, grease stains, food, liquids, etc. Stains caused by coffee, tea, wine and fruit or vegetable juices should be removed immediately. These stains do not penetrate the surface straight away, but they do stick to the surface when they dry, which in turn can lead to stubborn stains.

## INSTRUCTIONS FOR USE:

- The Quartz Spray is ready to use.
   Spray and distribute evenly over the surface using a clean, damp (microfibre) cloth.
- 2. Leave the product to soak in briefly (do not allow to dry!), then dry using a clean microfibre cloth.
- **3.** For a perfect result, repeat this process in case of stubborn stains.

The "Quartz Spray" is available from your sales outlet.

Our Quartz Spray is not suitable for removing glue residue, silicone stains, existing patina, water marks, etc. These stains require more targeted maintenance products. We recommend the following branded products:

# Akemi

www.akemi.com

#### Moellerstonecare

www moellerstonecare eu

## Lithofin/Eurosil

www.lithofin.eu

# **GOLDEN TIPS**

# FINALLY, A FEW GOLDEN TIPS:

- The Velvet and Poli finishes are naturally non-porous and therefore do not need to be sealed and protected before first use The Anticato finish has a more textured and porous surface, which means the material is more prone to staining. For this reason, an expert has to treat this worktop with a stain-stop suitable for quartz composite before installation.
- Never use an abrasive cleaning product, scourer or steel wool! These may damage the finish and cause dull spots.
- Certain aggressive chemicals, such as oven cleaners or products for unblocking drains, may cause permanent damage to the surface. Always read the product leaflet.
- In addition, trichloroethane. dichloromethane, paint stripper, cleaning products with a high alkaline or pH value (>10) or products containing bleach, marble dust, silicone or ammonium must not be used.



printing inks.

- To look after the surface, we recommend always using a trivet or coaster for hot cooking pots or appliances. This will prevent any discolouration of the surface from prolonged contact.
- Always use a chopping board when cutting/handling food to prevent knife marks on the surface.
- Never stand or sit on the worktop. to avoid cracks caused by extreme stress on cut-outs, poor supports and overhanging parts.

We have gathered this information with utmost care. However, these guidelines are merely an indication and should be used as an extra tool for effective maintenance and durable use of your quartz composite worktop.









Industrieweg-Noord 1134 3660 Oudsbergen Belgium

Tel +32 (0)89 85 69 44 Fax +32 (0)89 85 38 16 info@diresco.be

www.diresco.be













